

Mesco Weldmesh Industries



Secure Your
Property With Us



Scan QR Code
for more
information

SR. NO	CONTENTS	PAGE NO
01	About Us	03
02	Galvanised & M.S. Welded Wire Mesh	04
03	Stainless Steel Welded Wire Mesh	05
04	Mesco Chainlink Fencing	06
05	PVC Coated Chainlink Fencing	07
06	Concertina Wire & Concertina Coil Fencing	08-09
07	Mesco's Gabion Box	10-11
08	Mesco's Metallic Tree Guard	12
09	Mesco's Barbed Wire	13
10	Mesco's Artificial Grass Fence	14-15
11	Mesco's Modular Fences	16
12	Mesco's PVC Lattice Privacy Fence	17
13	Mesco's Perimeter Intrusion Detection System	18
14	Mesco Fence Security Gates	19
15	Mesco Fence Security Spikes	20
16	Mesco's Fencing Design	21
17	Leadership & Our Team	22
18	Our Growth Partners	23
19	Why Choose Us	24

“

Bilding Stronger
Boundaries with
Quality, Innovation
& Trust.

ABOUT US

OUR COMPANY

MESCO

WELDMESH INDUSTRIES

Founded in the year 2005 in Gandhinagar, Gujarat, India, Mesco Weldmesh Industries is a prominent manufacturer, supplier, and service provider of welded wire mesh fencing, chain link fencing, tree guards, and barbed wire fencing. We have developed a strong reputation for our ability to deliver cost-efficient, strong, and flexible fencing solutions to various industries such as electrical, mechanical, and automobile industries.

Our cutting-edge manufacturing facility, backed by sophisticated machinery and globally accepted technology, ensures that every product is of the highest quality and durability. We use high-quality raw materials to produce fencing products with high tensile strength, corrosion-resistant properties, and long-lasting durability. Our skilled personnel, consisting of engineers, technicians, and quality controllers, work with utmost care to ensure product excellence and timely delivery.



21+

Years of Experience



100%

Product Quality



100+

Project Completed



5000+

Happy Clients

WHY US



Team of more than
1200+
dedicated people



5 modern
Manufacturing Unit
near Gujarat



Annual production
capacity of over
144000 MT

OUR GROWTH PARTNERS



HINDUSTAN ZINC



सेल SAIL



JINDAL SAW LTD.
TOTAL PIPE SOLUTIONS



MESCO FENCE

Protect your property with us



High Quality
Products



Strong &
Durable



Corrosion
Resistant



Timely
Delivery

MESCO 'S GABION BOX


- Mesco Fence was established in 2006 in Ahmedabad, Gujarat, India
- We introduce ourselves as leading manufacturer, supplier & exporter of gabion box/mesh, weldmesh, chainlink fence, crimped net, barbed wire, concertina wire in India & abroad.
- Our products are made from the highest quality wire which ensures maximum strength, durability & quality of our products.
- We offer most competitive prices with zero percent compromise on quality of products.

INDUSTRY DETAILS

In this modern era, our industry has mastered manufacturing quality by utilizing advanced technology machinery with highly experienced staff. Our industry is equipped with 18000 sq. mt land area in well developed industrial region.



SPECIFICATION:



Mesh Size (in mm)	Mesh Wire (in mm)		Selvege Wire (in mm)		Box Size (in meter)		
	Coating	Diameter	Coating	Diameter	Length	Width	Heigth
 80 X 100	G.I.	2.4 2.7 3.0	G.I.	3.0 3.4 3.9	1 to 5	1 to 2	0.5 to 1
	G.I. + PVC	2.4/3.4 2.7/3.7 3.0/4.0	G.I. + PVC	3.0/4.0 3.4/4.4 3.9/4.9			
 100 x 120	G.I.	2.4 2.7 3.0	G.I.	3.0 3.4 3.9	1 to 5	1 to 2	0.5 to 1
	G.I. + PVC	2.4/3.4 2.7/3.7 3.0/4.0	G.I. + PVC	3.0/4.0 3.4/4.4 3.9/4.9			

G.I. Coating upto 275 GSM

Partitions are at every meter in the box

Example: GI + PVC = 3.0/4.0 internal diameter of GI wire / external diameter of GI + PVC coated wire

Box dimension can be modified as per your choice

HISTORY OF GABION AT A GLANCE:

Thousands of years ago gabion type structure were used by nomadic tribes of Africa to project their river banks of their locality as the time passed in mid-18 century gabion were employed as military protection wall during the war time in recent history civil engineers have used gabion extensively to stabilize riverbanks highways & mountain region against soil erosion.

OUR HAPPY CLIENT :-

L&T, Essar construction, PMC project, Reliance (Jamnagar), Ultratech, Welspun, AFFCONS Infrastructure, NTPC, Hindustan Construction, J.M.C Projects & many more.

MFMSW/MFGIW:-

GALVANIZED AND M.S WELDED WIRE MESH

Mesco's welded wire mesh consists of high-quality metallic wires (Mild Steel, Stainless Steel, or Iron) arranged in a grid and fused together at every intersection using electric resistance welding. This process creates a rigid, uniform structure that is more stable than traditional woven netting.

MATERIAL MILD STEEL GALVANIZE

Wire Dia	1.2MM-6MM	1.2MM-6MM
Polish	Regular	Zinc Coated
GSM	No	40GSM-275GSM

MESH SIZE

14MMX 14MM
25MM X 25 MM
32MM X 32MM
50MM X 50MM
100MM X 100MM

MESH SIZE

14MM -200MM	14MM-200MM
30X30 2.2MM 2.6MM	40X40 4MM
25X25 2.6MM - 3MM	100X100 3MM
150X150 3.8MM	50X50 3MM
100X100 3MM	65X65 2.8MM
65X65 1.8MM	100X20 3MM



Scan to watch the
installation process

Mesco Fence :- 9898999319 Call now

MFSSW:-

STAINLESS STEEL WELDED WIRE MESH

Mesco's SS Weldmesh (Stainless Steel Welded Wire Mesh) is a high-strength, rigid grid made by joining vertical and horizontal stainless steel wires at every intersection through Electric Resistance Welding (ERW). This process creates a stable, non-fraying structure that maintains its shape even when cut into custom sizes.

SS304 / SS202 / SS316

STAINLESS STEEL WELDED WIRE MESH

Uts : 70-90 KN/MM2

Polish : Mirror Finish

Wire Die : 2MM - 6 MM

Mesh Size : 14MM - 150 MM

Regular : 75 x 9MM | 50x50MM
30 x 30MM

Packing : Wooden

MESH SIZE

14 x 14 3MM

25X 25 3MM

75 X 9 4 MM

50X 50 4MM

30 X 30 3MM



APPLICATION :

Fencing in Sea or Salty Areas

Security in High Chemical Zones

Cage Manufacturing for Zoos

Under-Demolition Construction Areas

Kitchen Baskets and Other Applications



Scan to watch the
installation process

Mesco Fence :- 9898999319 Call now

MESCO MODULAR FENCES

Protect your property with us

Model No. - 1

Mesco 3D Modular Fence

A) 3D Fence with H Profile Post



Post Details

Post type : H Post
Post Size : 75 x 50 x 2 mm

Mesh Specification

- Mesh Size :
A) 200 x 50 mm B) 200 x 25 mm
- Wire Diameter :
4 mm | 4.5 mm | 5 mm
- Zinc Specification :
90 to 120 GSM

Product Life

Expected Life : 10 to 20 Years




Fixing System
Clamping : Spider Clamp
Bolting : SS304 or Galvanized
Anchor : SS304 or Galvanized



Surface Coating
A) IP Powder Coated
B) Polyester Powder Coated

Panel & Post Design

Panel Size (mm)	Post Size (mm)
1200 x 2500	1220
1500 x 2500	1530
1800 x 2500	1830



Panel size & Post size



Pole to Pole Distance
2500 mm / 3000 mm



Scan to watch the installation process

Mesco 3D Modular Fence

B) 3D Fence with Square Profile Post



Post Details

Post type : Square Post
Post Size : A) 50 x 50 mm
B) 100 x 50 mm
C) 60 x 60 mm

Mesh Specification

- Wire Diameter :
4 mm | 4.5 mm | 5 mm

Fence Sizes

Panel Size (mm)	Panel Length (mm)	Post Height (mm)
1200	2500	1220
1500	2500	1530
1800	2500	1830
2000	2500	2000
2400	2500	2430



Fixing System
Clamping : Spider Clamp
Bolting : SS304 or Galvanized
Anchor : SS304 or Galvanized



Surface Coating
A) IP Powder Coated
B) Polyester Powder Coated



Panel size & Post size



Pole to Pole Distance
2500 mm / 3000 mm



Scan to watch the installation process

Model No. - 2

3D Weldmesh with Concertina Fencing



Post Details

Post type : Square Post / H Profile Post

Mesh Specification

- Mesh Size :
A) 200 x 50 mm B) 200 x 25 mm
- Wire Diameter :
4 mm | 4.5 mm | 5 mm
- Upper Side Support :
40 x 40 x 5 mm (Angle)

Concertina Specifications

- Zinc Coating : 275 GSM
- Blade Thickness : 0.5 mm
- Total Wire Diameter : 3.5 mm
- Concertina Diameter Options :
600 mm | 450 mm
- Round per Meter : 9 Loops

Colour


As per Model No. 1

Product Life

Expected Life : 10 to 20 Years



Surface Coating
A) IP Powder Coated
B) Polyester Powder Coated



Panel Length
Center to Center Distance :
2500 mm / 3000 mm

Panel Heights (Fence + Concertina)

Fence Height (mm)	Concertina Height (mm)
1200	450
1500	450
1800	600
2400	600

Application :

Border fencing
Industrial Fencing
Airport / Railway Fencing
Defence Fencing



Scan to watch the installation process

Model No. - 3

Mesco's Anti-Climb & Anti-Cut Fencing



Post Details

Post type : Square Post / H Profile Post

Mesh Specification

- Mesh Size :
A) 76.2 x 12.7 mm
- Panel Sizes :
955 mm | 1255 mm

If 10 Feet of Fence :

1050 mm [3 Panel]

If 8 Feet of Fence :

1255 [2 Panel]

Length of Panel :

2500 mm

Mesh wire diameter

Horizontal : 4mm
Vertical : 4mm or 3mm



2 or 3 Panel
Clamping System



Fixing System
Clamping : Spider Clamp
Bolting : SS304 or Galvanized
Anchor : SS304 or Galvanized
SS Anti Theft Nut Bolt : m6 x 60mm



Pole to Pole Distance
2500 mm / 3000 mm

Size of Post (mm)

H Profile Post	75 x 50	75 x 40	
Square Post	60 x 60	50 x 50	
Round Post	72	80	60



Scan to watch the installation process

Model No. - 4

Mesco's Anti-Climb with Concertina Fencing



Post Details

Post type : Square Post / H Profile Post

Mesh Specification

- Mesh Size :
A) 76.2 x 12.7 mm
- Panel Sizes :
955 mm | 1255 mm
- Upper Side Concertina Angle :
40 x 40 x 5 mm
- Upper Side Concertina Dia :
450 / 600 mm / 1050 mm

If 10 Feet of Fence :

1050 mm [3 Panel]

If 8 Feet of Fence :

1255 [2 Panel]

Length of Panel :

2500 mm

Mesh wire diameter

Horizontal : 4mm
Vertical : 4mm or 3mm



Surface Coating
A) IP Powder Coated
B) Polyester Powder Coated



Panel Length
Center to Center Distance :
2500 mm / 3000 mm

Panel Heights (Fence + Concertina)

Fence Height (mm)	Concertina Height (mm)
1800 + 450 Round Coil	450
2000 + 600 Round Coil	450
2400 + 600 Round Coil	600
3000 + 750 Round Coil	600

Application :


Border fencing
Industrial Fencing
Airport / Railway Fencing
Defence Fencing



Scan to watch the installation process

Model No. - 5

Mesco's Delight 3D Architecture Fencing



Mesh Specification

- Mesh Size :
200 x 50 mm / 200 x 25 mm
- Wire Diameter :
4.5 mm

Light : As per customer requirement
Cable : Include with post
Light colour : Yellow / White



Scan to watch the installation process

Model No. - 6

Machine Security Guard Fencing



Height of Guard : 6 Feet

Panels of Fence Guard : 1.8mtr x 2.2 Mtr

Panel Specification : 100x20

Pole Size : 60 x 60

Weldmesh : 30 x 30 pipe

Welding Type : Automatic Spot Welded
With Robotic Arm

Application : Robotic Fencing / Coil Yard
Fencing / Panel Fencing /
Solar LT Room Fencing



Scan to watch the installation process

MFGICHN:-GI /SS CHAINLINK FENCING

MESCO CHAINLINK FENCING

Mesco fence provides a wide range of chainlink fencing specifications tailored for residential, commercial, industrial, and high-security applications. Their products are available in various materials including Galvanized Iron (GI), Stainless Steel (SS), and PVC-coated options to ensure durability and corrosion resistance.

MATERIAL GALVANIZE STAINLESS STEEL


Wire Dia	2MM-6MM	2 TO 4 MM
Polish	40GSM-275GSM Zinc Coated	Met/Bright

APPLICATIONS

Garden Fencing
Boundary Fencing
Farm Fencing
Forest Fencing
Poultry Farm Fencing
Security Fencing

WIRE MESH SIZE MATERIAL CODE

2.5 mm	50 × 50	AFJ
2.5 mm	65 × 65	ABC
2.5 mm	75 × 75	AIF
3 mm	50 × 50	BBJ
3 mm	65 × 65	AFI
3 mm	75 × 75	ADF
3 mm	100 × 100	AJI
4 mm	40 × 40	DHC
4 mm	50 × 50	DJJ
4 mm	50 × 50	CHF
4 mm	100 × 100	BEG



Scan to watch the installation process

Mesco Fence :- 9898999319 Call now

MFMSW/MFGIW:-

GI+PVC COATED CHAINLINK FENCING

Mesco Weldmesh Industries is a prominent Indian manufacturer specializing in PVC coated chain link fences, primarily based in Gandhinagar and Mahesana, Gujarat. Their fences are designed for durability and corrosion resistance by coating galvanized steel wire with a protective polyvinyl chloride (PVC) layer.

GL WIRE

2 mm

2.5 mm

2.5 mm

3 mm

2.7 mm

2.5 mm

4 mm

PVC COATING

1 mm

1 mm

1.5 mm

1 mm

1 mm

1.2 mm

1 mm

MESH SIZE

40x40 / 50x50

40x40 / 50x50 / 75x75

40x40 / 50x50 / 100x100

40x40 / 50x50 / 75x75 / 100x100

40x40 / 50x50 / 75x75 / 100x100

40x40 / 50x50 / 75x75 / 100x100

40x40 / 50x50 / 75x75 / 100x100

MATERIAL :

Galvanised + PVC Coating

WIRE :

2.5 to 4 + 1 to 1.5 mm

POLISH :

PVC Coated GL Wire

GL + PVC Coating

3 mm (2 + 1) Code

Mesh Sizes

40 x 40

50x50

65x65

Codes

A6C

ACO

AOO

3.7 mm (2.5 + 1.2) Code

Mesh Sizes

40 x 40

50x50

75x75

100 x 100

Codes

BBO

A76

A70

09

4 mm (2.5 + 1.5) Code

Mesh Sizes

40 x 40

50x50

75x75

100 x 100

Codes

-

B40

A60

Ab0

5 mm (3 + 2) Code

Mesh Sizes

40 x 40

50x50

75x75

100 x 100

Codes



Scan to watch the
installation process

Mesco Fence :- 9898999319 Call now

MFMSW/MFGIW:-

CONCERTINA WIRE AND CONCERTINA COIL FENCING

Mesco offers several types of concertina coils with varying diameters and blade types to suit different security levels.

PROCESSING




1. Raw Material



2. Punching



3. Forming



4. Assembly




5. Powder Coating



6. Package

Tear Blade (BTO-30)


Tear blade is an hybrid of medium blade and long blade, more vicious than a medium blade and more economical than long blade.



Blade Type	Bard Thickness	Blade Type	Bard Width	Bard Spacing	Core Wire Diameter
BTI - 30	0.5 ± 0.05	30.0 ± 1	18 ± 1	45 ± 2	2.5 ± 0.1

Medium Blade (BTO-22)

Concertina wire medium blade is an improvement on the short blade variety at a cost-effective price level. It is widely used for commercial and industrial and industrial applications. Medium blade concertina wire had a much sharper edge and quickly gained the reputation of being an extremely effective low cost security choice.




Blade Type	Bard Thickness	Blade Type	Bard Width	Bard Spacing	Core Wire Diameter
BTI - 22	0.5 ± 0.05	22.0 ± 1	16 ± 1	35 ± 2	2.5 ± 0.1

Short Blade (BTO-10)

Short blade is the original profile of razor wire barbed tape, which is developed for military applications. Although mostly replaced by medium blade, it is still preferred by some organizations. It is the most economical type among all the barbed tapes.

Blade Type	Bard Thickness	Blade Type	Bard Width	Bard Spacing	Core Wire Diameter
BTI - 10	0.5 ± 0.05	10.0 ± 1	13 ± 1	25 ± 2	2.5 ± 0.1



Concertina-Cross Type

Cross type concertina razor wire is the most widely used in all environments and sites to satisfy medium to highest grade of site security. It has 3 to 5 clips on every neighbouring coil loops, which increases the security grades of sites.



Prison Protection



Military Defence

Welded Razor Mesh

Welded razor mesh is made by welding straight razor wires into diamond or rectangular patterns. It provides a simple yet high-security structure suitable for both private and commercial applications and can be easily attached or welded onto fences for additional protection.




Razor Mesh on Fence Topping



Razor Mesh in Construction Sites

Straight Lines

Straight Line Razor Wire is the simplest type of razor wire and an effective alternative to barbed wire. Its sharp barbs provide strong visual deterrence and higher security performance. It is commonly used with other fencing systems or installed on wall and fence toppings to enhance site protection and prevent intruders from entering.



On Fence Topping



Roadside Separation

COIL DIA

WEIGHT / COIL

WORKING LENGTH

MAX FEET

KG / MTR

450 mm

6.5 kg

7 mtr

23 feet

0.93 kg

600 mm

8.5 kg

7 mtr

23 feet

1.21 kg

850 mm

12 kg

7 mtr

23 feet

1.72 kg

1050 mm

15 kg

7 mtr

23 feet

2.15 kg

Note:

- Per coil: 50 rounds (25 or 50 loops)
- Wire Diameter: 2.5 mm
- Blade Length: 1 mm



Scan to watch the installation process

MFSSW:-

MESCO'S BARBED WIRE

Mesco Weldmesh Industries, based in Gandhinagar, Gujarat, is a prominent manufacturer of diverse barbed wire fencing solutions, ranging from standard galvanized iron to PVC-coated and high-tensile variants. Their products are widely used for agricultural, industrial, and boundary security due to their focus on rust resistance and durability.

MESCO FENCE
Protect your property with us

BARBED WIRE

Built for strength and protection, Stainless Steel Barbed Wire secures boundaries with long lasting durability.

- Industrial Sites
- Farming Sector
- Defense Areas
- Government Areas

Secure your boundary with smart fencing

Contact [+91 98989 99319](tel:+919898999319)

Size of Barbed wire

Mesco's 120 gsm
Mesco's 275 gsm

12 x 12

17 feet
17 feet

12 x 14

24 feet
24 feet

14 x 14

34 feet
34 feet




Scan to watch the
installation process

Mesco Fence :- 9898999319 Call now

MFGF

MESCO'S ARTIFICIAL GRASS FENCE

Mesco Weldmesh Industries produces artificial grass fences, also known as wall grass fencing, which serve as a decorative, secure, and low-maintenance fencing solution. These fences combine galvanized wire mesh with synthetic turf, providing a green, natural look year-round.



MESCO FENCE

Protect your property with us



ROLL SIZE

0.60m X 10 m
1.00 X 10 m
1.20 X 10 m
1.50 X 10 m
2.00 X 10 m

PER ROLL

6 SQM
10 SQM
12 SQM
15 SQM
20 SQM



Scan to watch the installation process

Mesco Fence :- 9898999319 Call now




MESCO FENCE

Protect your property with us



MESCO'S METALLIC TREE GUARD




Model:- Mf1

Height:- 5 Feet
 Mesh:- 4 Feet
 Angle:- 20 x 20 x 2 mm
 Ate:- 4 inch x 8 inch
 Color:- Green Asian



Model:- Mf2

Height:- 5 Feet
 Mesh:- 4 Feet
 Angle:- 20 x 20 x 2 mm
 Ate:- 4 inch x 8 inch
 Color:- Green Asian




Model:- Mf3

Height:- 6 Feet
 Mesh:- 5 Feet
 Angle:- 20 x 20 x 2 mm
 Ate:- 4 inch x 8 inch
 Color:- Green Asian



Model:- Mf4

Height:- 6 Feet
 Mesh:- 6 Feet
 Angle:- 20 x 20 x 2 mm
 Ate:- 4 inch x 8 inch
 Color:- Green Asian



Model:- Mf5

Height:- 5 Feet
 Mesh:- 4 Feet
 Angle:- 20 x 20 x 2 mm
 Ate:- 4 inch x 8 inch
 Color:- Green Asian



Model:- Mf6

Height:- 5 Feet
 Mesh:- 4 Feet
 Angle:- 20 x 20 x 2 mm
 Ate:- 4 inch x 8 inch
 Color:- Green Asian

MESCO 'S PVC LATTICE PRIVACY FENCE

For decades, lattice has been used primarily as an attractive skirt around porches and decks. But over the past several years, builders, architects and homeowners have discovered lattice's amazing versatility.

Use lattice as a privacy screen. Incorporate it into a fence design. Try it as an accent for planters or to add detail to a trellis, gazebo or outdoor kitchen. It's also great for concealing the things you have to live with but don't want to look at, such as utilities, trash cans or compost piles.

Dimensions plastic lattice makes it easy. Durable and sturdy, it won't rot, split or peel. It's also available in a wide range of colors and styles.

Look around your house and yard. Then let your imagination go! You'll find more than one place to use Dimensions plastic lattice.




MESCO FENCE SECURITY GATES





SECURITY GATES LIST:

- Swing gate single openable
- Swing gate double openable
- Slider gate
- 3d design gate with RFID system
- With different powder coated colours

MESCO FENCE SECURITY SPIKES





MESCO 'S PERIMETER INTRUSION DETECTION SYSTEM




INDUSTRIAL PERIMETER SECURITY

Protecting Factories from Intrusion Before It Becomes a Crisis



MESCO FENCING DESIGN



MF Design List:

- 3d fence with concertina coil
- Chainlink fencing
- Chainlink with concertina fence
- Chainlink fence with barbed wire
- Barbed wire fencing
- Anti climb high security fence
- Grass fence
- Lattice fence

LEADERSHIP & OUR TEAM

Driven by **Vision**. Powered by **People**.



DIRECTORS



Manthan Patel

Director

- Master in Mechanical Engineer
- Master in Thermal Technology



Jignesh Patel

Director

- Electrical Engineer



Poonam Patel

Director

- MSc Micro Lab Technology



dedicated team of skilled engineers, technicians, quality experts, and manufacturing professional works together to deliver high-quality fencing and wire mesh solutions. Their expertise, precision, and commitment help ensure reliable products, timely delivery, and complete customer satisfaction.

OUR STRENGTH

- ✓ Highly Expert Team
- ✓ 24/7 Customer Service
- ✓ Competitive Pricing
- ✓ Professional Manufacturing Solutions
- ✓ Quality Assured Products
- ✓ Strong & Durable Fencing Systems



21+
Years
Experience



100%
Product
Quality



100+
Project
Completed



5000+
Happy
Clients

WHY CHOOSE US?

1. Fluidilized bed type powder coating
2. German tech auto machinery used for panel
3. Testing material laboratory facilities
4. Trusted by industry leader
5. Team of 500 + experts



Anti-Climb Fence
Designed to stop climbing and cutting attempts

- High security fencing design
- Hard to cut and impossible to climb
- Ideal for sensitive and high risk areas

Talk to us for advanced security fencing
Contact [+91 98989 99319](tel:+919898999319)



V BEND MESH

Built with a special V bend shape that adds extra strength. It stays firm gives clear visibility and keeps your area secure.

Call now to protect your boundary:
[+91 98989 99319](tel:+919898999319)



CONCERTINA COIL
Strong protection made for spaces that cannot take risk.
Best Solution for High Security Boundaries

Borders Military zones
Factories High-security Buildings Airport boundaries

Contact us today for strong and safe fencing.
Contact [+91 98989 99319](tel:+919898999319)



V-Bend Fence
Secure Beyond Expectation
When security matters the most, choose protection you can count on.

From Manufacturing to Installation
We've Got You Covered!

[+91 98989 99319](tel:+919898999319)



ANTI-CLIMB FENCE

- Prevents climbing and intrusion
- Strong mesh for maximum safety
- Durable in all weather
- Trusted for secure perimeters

Contact us today for strong and safe fencing
[+91 98989 99319](tel:+919898999319)



Tree Guard

- Allows air and sunlight to pass through
- Protects young trees from damage
- Ideal for roadsides, gardens, and plantations
- Strong and durable for outdoor use

Protect young trees today
[+91 98989 99319](tel:+919898999319)

MR. MANTHAN

+91 98989 99319 | +91 96874 81999

- www.3dweldmeshfencing.com
- info@wiremeshmanufacturing.com
- Survey No.365/2 Road Chadasana, Nearby, Dangarva Bus Stop, Nandasan, Mahesana, Gujarat-384450, India
- Our manufacturing units :- Ahmedabad, Mahesana, Surat, Mumbai

[f](#) [@](#) [v](#) [y](#) [in](#) | mesco_weldmesh_gujarat



Scan QR Code
for more
information